



<b>Product</b>	<b>Etching</b>	<b>Corrosion Protection</b>	<b>Filling</b>	<b>Color Holdout</b>	<b>Flexibility</b>	<b>Easy Sanding</b>	<b>Sand/Dry Time</b>
----------------	----------------	-----------------------------	----------------	----------------------	--------------------	---------------------	----------------------

<b>Super Etch</b>	<b>Excellent</b>	<b>Excellent</b>	<b>N/A</b>	<b>Must be sealed</b>	<b>Excellent</b>	<b>Not Recommended</b>	<b>30 Minutes</b>
-------------------	------------------	------------------	------------	-----------------------	------------------	------------------------	-------------------

<b>Etch Fill</b>	<b>Excellent</b>	<b>Excellent</b>	<b>Good</b>	<b>Good</b>	<b>Good</b>	<b>Excellent</b>	<b>30 Minutes</b>
------------------	------------------	------------------	-------------	-------------	-------------	------------------	-------------------

<b>Fast Prime</b>	<b>Good</b>	<b>Excellent</b>	<b>Excellent</b>	<b>Excellent</b>	<b>Fair</b>	<b>Excellent</b>	<b>Excellent</b>
-------------------	-------------	------------------	------------------	------------------	-------------	------------------	------------------

<b>Epoxy</b>	<b>N/A</b>	<b>Excellent</b>	<b>Good</b>	<b>Good</b>	<b>Excellent</b>	<b>Not Recommended</b>	<b>1-3 hours</b>
--------------	------------	------------------	-------------	-------------	------------------	------------------------	------------------





<b>Urethane</b>	<b>N/A</b>	<b>Good</b>	<b>Excellent</b>	<b>Excellent</b>	<b>Excellent</b>	<b>Excellent</b>	<b>1-2 hours</b>
-----------------	------------	-------------	------------------	------------------	------------------	------------------	------------------

<b>Hi-Prime</b>	<b>N/A</b>	<b>Fair</b>	<b>Good</b>	<b>Fair</b>	<b>Good</b>	<b>Excellent</b>	<b>20-30 minutes</b>
-----------------	------------	-------------	-------------	-------------	-------------	------------------	----------------------

<b>Barrier Coat</b>	<b>N/A</b>	<b>Good</b>	<b>Excellent</b>	<b>Excellent</b>	<b>Good</b>	<b>Excellent</b>	<b>1 hour</b>
---------------------	------------	-------------	------------------	------------------	-------------	------------------	---------------

<b>Acrylic Sealer</b>	<b>NA</b>	<b>NA</b>	<b>Very Minor</b>	<b>Good</b>	<b>Excellent</b>	<b>Poor</b>	<b>20-30 min</b>
-----------------------	-----------	-----------	-------------------	-------------	------------------	-------------	------------------

<b>Shade System 2K Sealer</b>	<b>NA</b>	<b>NA</b>	<b>Good</b>	<b>Excellent</b>	<b>Excellent</b>	<b>Fair</b>	<b>15-30 min</b>
-----------------------------------	-----------	-----------	-------------	------------------	------------------	-------------	------------------



<b>PRODUCT</b>	<b>Mix Ratio</b>	<b>Application</b>	<b>Flash</b>	<b>Pot</b>	<b>Dust Free</b>	<b>Tack Free</b>	<b>Sand</b>	<b>Min-Max Recoat</b>	<b>Topcoat</b>
Super Etch	1:1 5' stirred	1 med coat	NA	24 hours	NA	NA	NA	30 min - 4 hours	Primer or sealer
Etch Fill	1:1	1-2 full wet	5-10 min	24 hours	NA	NA	NA	30 min - 24 hours	1-2 hours
VOC Epoxy Primer	4:1:1/2 5' stirred	1 full wet	NA	8 hours	NA	NA	1 hour	1 hour - 72 hours	1 hour
Fast Prime	4:1	2-3 full wet coats	5-10 min	2 hours	NA	NA	45 min	45-no max	45 min
Urethane Primer	4:1	2-3 med coats	10-15 min	3-4 hours	NA	NA	1-4 hours	3 - 12 hours	3-4 hours
Barrier Coat	RTS	2-3 full wet	15 min	Indefinite	NA	NA	30-60 min	60 min - no max	60 min
Hi Prime	2:3	2-3 full wet	10-15 min	Indefinite	NA	NA	20-30 min	30 min- no max	30 min
Acrylic Sealer	RTS	1-2 med coats	20 min	Indefinite	NA	NA	30 min	20 min - 48 hours	20 min
ShadeSys 2K Sealer	4:1	1 full wet coat	NA	2 hours	NA	NA	30 min	15-30 min	15-30 min
Production Clear	4:1	2-3 full wet coats	10 min	4-8 hours	5-10 min	15-25 min	16 hours	16 hours	NA
Quick Spot Clear	4:1	1 med +1 wet	5-10 min	0.5 - 1 hour	10 - 15 min	15- 17 min	2-7 hours	12 hours	NA
Urethane Clear V	4:1	1 med + 1 wet	10 -15 min	1.5-6 hours	10-30 min	25-60 min	Overnight	Overnight	NA
Hi Solids Clear	2:1	1 med + 1 wet	10-15 min	3-5 hours	15-20 min	30-45 min	Overnight	Overnight	NA